# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Spain



# **SAFETY DATA SHEET**

Pentium Forte Plus

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Pentium Forte Plus
Product code	: 124000000484
Product description	: Not available.
Other means of identification	: AV6755; PFP

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: Animal vaccine.
Uses advised against	: None known.

## 1.3 Details of the supplier of the safety data sheet

Elanco Spain, S.L.				
Avda. de Bruselas				
№ 13, Edifico América, Polígono Arroyo de La Vega				
Alcobendas 28108, Madrid				
Telephone number	: Not Available			

e-mail address of person	: elanco_sds@elancoah.com
responsible for this SDS	

#### 1.4 Emergency telephone number

## <u>Supplier or Manufacturer</u>

Transportation	: CHEMTREC: 900-868538 (free-phone)
Emergency telephone	CHEMTREC: 34-931768545 (local)
number	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture **Product definition** : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Asp. Tox. 1, H304 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended. Ingredients of unknown : 21.2 percent of the mixture consists of component(s) of unknown acute oral toxicity 21.2 percent of the mixture consists of component(s) of unknown acute dermal toxicity toxicity 21.2 percent of the mixture consists of component(s) of unknown acute inhalation toxicity Ingredients of unknown : Contains 21.2% of components with unknown hazards to the aquatic environment ecotoxicity See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

## **SECTION 2: Hazards identification**

÷

Hazard pictograms



		•
Signal word	:	Danger
Hazard statements	:	H304 - May be fatal if swallowed and enters airways.
Precautionary statements		
Prevention	:	Not applicable.
Response	1	P301 + P310, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.
Storage	:	Not applicable.
Disposal	1	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	1	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	en	<u>its</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	1	None known.
Other hazards	1	Accidental injection may cause local swelling, irritation or necrosis at the injection site.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
White mineral oil (petroleum)	EC: 232-455-8 CAS: 8042-47-5	≥25 - ≤50	Asp. Tox. 1, H304	-	[1] [2]
Sorbitan, (Z) -9-octadecenoate (2:3)	EC: 232-360-1 CAS: 8007-43-0	<10	Eye Irrit. 2, H319	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

Pentium Forte Plus

[2] Substance with a workplace exposure limit

## **SECTION 3: Composition/information on ingredients**

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

4.1 Description of first aid measures				
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.			
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.			
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.			
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.			

## 4.2 Most important symptoms and effects, both acute and delayed

4.2 WOSt important symp	toms and effects, both acute and delayed
<u>Over-exposure signs/sy</u>	<u>imptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following: nausea or vomiting
4.3 Indication of any imm	nediate medical attention and special treatment needed
Notes to physician	: To the Doctor: This product contains mineral oil. Accidental injection with this oil- based product, even in small quantities, can cause intense swelling which may, for example, result in ischaemic necrosis and the loss of a digit. Expert PROMPT, surgical attention is required and may necessitate early incision and irrigation of the injected area, especially where there is involvement of finger pulp or tendon.
Specific treatments	<ul> <li>In case of accidental self-injection of oil emulsion vaccines, get medical attention immediately.</li> </ul>
	SEEK IMMEDIATE MEDICAL TREATMENT at nearest Hospital Emergency Room even if only a very small amount is injected, as failure to treat may result in the mineral oil adjuvant causing sterile abscess and/or loss of affected finger or thumb. If pain persists for more than 12 hours after medical examination, seek additional medical advice.

## SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.

## **SECTION 5: Firefighting measures**

5.2 Special hazards arising	rom the substance or mixture	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	СС	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	<ul> <li>Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows.</li> </ul>

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal

## according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. 6.4 Reference to other sections See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 7.1 Precautions for safe handling

Protective measures	Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
---------------------	--

## **SECTION 7: Handling and storage**

L		
	Advice on general	: Eating, drinking and smoking should be prohibited in areas where this material is
	occupational hygiene	handled, stored and processed. Workers should wash hands and face before
		eating, drinking and smoking. Remove contaminated clothing and protective
		equipment before entering eating areas. See also Section 8 for additional
		information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
	National institute of occupational safety and health (Spain, 4/2021). [Refined mineral oil] TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Mist STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist

#### **Biological exposure indices**

None known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
White mineral oil (petroleum)	DNEL	Long term Oral	25 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	34.78 mg/ m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	93.02 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	164.56 mg/ m <sup>3</sup>		Systemic
	DNEL	Long term Dermal	217.05 mg/ kg bw/day	Workers	Systemic

#### PNECs

No PNECs available

#### 8.2 Exposure controls

## SECTION 8: Exposure controls/personal protection

SECTION 6: Exposu	controls/personal protection			
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airbo contaminants.	orne		
Individual protection meas	<u>S</u>			
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working per Appropriate techniques should be used to remove potentially contaminated clot Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	hing.		
Eye/face protection	afety eyewear complying with an approved standard should be used when a ris sessment indicates this is necessary to avoid exposure to liquid splashes, mis uses or dusts. If contact is possible, the following protection should be worn, alless the assessment indicates a higher degree of protection: safety glasses w de-shields.			
Skin protection				
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard sh be worn at all times when handling chemical products if a risk assessment indic this is necessary. Considering the parameters specified by the glove manufactor check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.	cates urer,		
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the tas being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>			
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should l approved by a specialist before handling this product.	be		
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets t appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other impor aspects of use.			
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislatio In some cases, fume scrubbers, filters or engineering modifications to the proce equipment will be necessary to reduce emissions to acceptable levels.			

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Brown. Grey.
Odour	: Not available.
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flammability	: Not available.
Lower and upper explosion limit	: Not available.
Flash point	:

				Closed cup			Open cup			
		Ingredient name	°C	°F Method		nod	od °C		°F	Method
		Sorbitan monooleate, ethoxylated	>93	>199.4						
		White mineral oil (petroleum)	>112	>233.6	ISO 2	719				
		Sorbitan, (Z) -9-octadecenoate (2:3)	225	437						
Auto-ignition temperature	1	Ingredient name		°C		°F		Me	ethod	
		White mineral oil (petrol	leum)	325 to	355	617 to 6	671	AS	TM E 659	
Decomposition temperature	:	Not available.								
рН	1	Not available.								
Viscosity	1	Not available.								
Solubility(ies)	4	Not available.								
Solubility in water	:	Not available.								
Partition coefficient: n-octanol/		Not applicable.								
water	:									
water	:		Vapou	r Press	ure at	20°C	Var	oou	ır press	sure at 50°
water		Ingredient name	Vapou mm Hg	1	ure at Meth		Var mm Hg	1	r press kPa	1
water				1			mm	1	-	1
water		Ingredient name	mm Hg	kPa		nod	mm	1	-	ure at 50° Method
water Vapour pressure		Ingredient name water White mineral oil	<b>mm Hg</b> 23.8	<b>kPa</b> 3.2	Meth	nod	mm	1	-	1
water Vapour pressure Evaporation rate	:	Ingredient name water White mineral oil (petroleum)	<b>mm Hg</b> 23.8	<b>kPa</b> 3.2	Meth	nod	mm	1	-	1
water Vapour pressure Evaporation rate Relative density	:	Ingredient name water White mineral oil (petroleum) Not available.	<b>mm Hg</b> 23.8	<b>kPa</b> 3.2	Meth	nod	mm	1	-	1
water Vapour pressure Evaporation rate Relative density Vapour density	:	Ingredient name water White mineral oil (petroleum) Not available. Not available.	<b>mm Hg</b> 23.8	<b>kPa</b> 3.2	Meth	nod	mm	1	-	1
water Vapour pressure Evaporation rate Relative density Vapour density Explosive properties Oxidising properties	:	Ingredient name water White mineral oil (petroleum) Not available. Not available. Not available.	<b>mm Hg</b> 23.8	<b>kPa</b> 3.2	Meth	nod	mm	1	-	1
		Ingredient name water White mineral oil (petroleum) Not available. Not available. Not available. Not available. Not available.	<b>mm Hg</b> 23.8	<b>kPa</b> 3.2	Meth	nod	mm	1	-	1

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredien	nts.
10.2 Chemical stability	: The product is stable.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: No specific data.	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	;

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum) Sorbitan, (Z) -9-octadecenoate (2:3)	LD50 Oral LD50 Oral	Rat Rat	>5000 mg/kg >39.8 g/kg	-
Conclusion/Summary	: Not available.	I		

Acute toxicity estimates

N/A

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Sorbitan, (Z) -9-octadecenoate (2:3)	Eyes - Mild irritant	Rabbit	-	3 mg	-
	Skin - Mild irritant	Rabbit	-	450 ug	-
Conclusion/Summary	: Not available.			•	-
Sensitisation					
Conclusion/Summary	: Not available.				
Mutagenicity					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Teratogenicity					
Conclusion/Summary	: Not available.				
Specific target organ toxicit	<u>y (single exposure)</u>				
Not available.					
Specific target organ toxicit	<u>y (repeated exposure)</u>				

Not available.

## **Aspiration hazard**

Product/ingredient name	Result
Pentium Forte Plus	ASPIRATION HAZARD - Category 1
White mineral oil (petroleum)	ASPIRATION HAZARD - Category 1

# Information on likely routes : Not available. of exposure Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

innalation	. No known significant effects of children hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: May be fatal if swallowed and enters airways.

Symptoms related to	the physical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following: nausea or vomiting

## **SECTION 11: Toxicological information**

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Delayed and immediate effec	cts as well as chronic effects from short and long
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
<b>Conclusion/Summary</b>	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
White mineral oil (petroleum)		1 1 5	48 hours 96 hours

**Conclusion/Summary** : Not available.

#### 12.2 Persistence and degradability

## **Conclusion/Summary** : Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
White mineral oil (petroleum)	>6	-	high

## 12.4 Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **12.6 Endocrine disrupting properties**

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Not available. 14.7 Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

## **SECTION 15: Regulatory information**

Annex XVII - Restrictions: Not applicateon the manufacture,placing on the marketand use of certaindangerous substances,mixtures and articles	ole.
Other EU regulations	
Industrial emissions : Not listed (integrated pollution prevention and control) - Air	
Industrial emissions : Not listed (integrated pollution prevention and control) - Water	
Ozone depleting substances (1005/2009/E Not listed.	<u>EU)</u>
Prior Informed Consent (PIC) (649/2012/E Not listed.	<u>U)</u>
Persistent Organic Pollutants Not listed.	

## **Seveso Directive**

This product is not controlled under the Seveso Directive.

15.2 Chemical safety	1	This product contains substances for which Chemical Safety Assessments are still
assessment		required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group</li> </ul>
	vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Asp. Tox. 1, H304	Expert judgment

## Full text of abbreviated H statements

H304 H319		May be fatal if swallowed and enters airways. Causes serious eye irritation.
Full text of class	sifications [CLP/GHS]	
Asp. Tox. 1 Eye Irrit. 2		ASPIRATION HAZARD - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Date of issue/ D revision	ate of : 11/15/2022	
Date of previous Version	<b>issue</b> : 8/5/2022 : 0.04	
Product name : Version :0.04	Pentium Forte Plus Date of revision :15 November 2022	ES : ENGLISH Date of previous issue :5 August 2022 11/12

## **SECTION 16: Other information**

#### Notice to reader

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact: Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441