

**Cefquinome (7.5%) LA Formulation**

Version 7.1      Revision Date: 30.09.2023      SDS Number: 27788-00023      Date of last issue: 04.04.2023  
Date of first issue: 04.11.2014

---

**SECTION 1. IDENTIFICATION**

Product name : Cefquinome (7.5%) LA Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Skin corrosion/irritation : Category 3

Respiratory sensitization : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H316 Causes mild skin irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

## Cefquinome (7.5%) LA Formulation

Version 7.1      Revision Date: 30.09.2023      SDS Number: 27788-00023      Date of last issue: 04.04.2023  
 Date of first issue: 04.11.2014

P261 Avoid breathing mist or vapors.  
 P273 Avoid release to the environment.  
 P284 Wear respiratory protection.

**Response:**

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
 P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cefquinome	118443-89-3	>= 5 -< 10
Dihydroxyaluminium stearate	7047-84-9	>= 1 -< 5

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention if symptoms occur.  
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 Excessive exposure may aggravate preexisting asthma and

## Cefquinome (7.5%) LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

---

other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

## Cefquinome (7.5%) LA Formulation

Version 7.1      Revision Date: 30.09.2023      SDS Number: 27788-00023      Date of last issue: 04.04.2023  
 Date of first issue: 04.11.2014

determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Avoid breathing mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cefquinome	118443-89-3	TWA	2000 µg/m <sup>3</sup> (OEB 1)	Internal
	Further information: RSEN			
Dihydroxyaluminium stearate	7047-84-9	CMP	10 mg/m <sup>3</sup>	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH

## Cefquinome (7.5%) LA Formulation

Version 7.1      Revision Date: 30.09.2023      SDS Number: 27788-00023      Date of last issue: 04.04.2023  
 Date of first issue: 04.11.2014

		matter)		
--	--	---------	--	--

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

**Personal protective equipment**

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapor type

**Hand protection**

**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : suspension

**Color** : No data available

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Flash point** : No data available

**Cefquinome (7.5%) LA Formulation**

Version 7.1      Revision Date: 30.09.2023      SDS Number: 27788-00023      Date of last issue: 04.04.2023  
Date of first issue: 04.11.2014

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Cefquinome (7.5%) LA Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

---

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Cefquinome:**

Acute oral toxicity : LD50 (Mouse): > 5.000 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

**Dihydroxyaluminium stearate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 423  
Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Guinea pig): > 3.000 mg/kg

**Skin corrosion/irritation**

Causes mild skin irritation.

**Components:****Cefquinome:**

Result : Irritating to skin.

**Dihydroxyaluminium stearate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Remarks : Based on data from similar materials  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Cefquinome:**

Result : Irritating to eyes.

**Cefquinome (7.5%) LA Formulation**

Version 7.1      Revision Date: 30.09.2023      SDS Number: 27788-00023      Date of last issue: 04.04.2023  
Date of first issue: 04.11.2014

---

**Dihydroxyaluminium stearate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****Cefquinome:**

Routes of exposure : Inhalation  
Result : May cause sensitization by inhalation.

**Dihydroxyaluminium stearate:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Dihydroxyaluminium stearate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Dihydroxyaluminium stearate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat



**Cefquinome (7.5%) LA Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

---

Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

**STOT-single exposure**

Not classified based on available information.

**Components:****Cefquinome:**

Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Dihydroxyaluminium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Cefquinome:**

Inhalation : Symptoms: anaphylaxis, bronchospasm, Cough, respiratory tract irritation, Rash, rhinitis, runny nose, sneezing  
Remarks: May produce an allergic reaction.  
Skin contact : Remarks: May irritate skin.  
May produce an allergic reaction.  
Eye contact : Remarks: May irritate eyes.

## Cefquinome (7.5%) LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Cefquinome:**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Brachydanio rerio (zebrafish)): > 500 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203              |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                 |
| Toxicity to algae/aquatic plants                    | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 86 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
|   |   | NOEC (Pseudokirchneriella subcapitata (green algae)): 37 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
|   |   | EC50 (Anabaena flos-aquae (cyanobacterium)): 0,041 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201       |
|   |   | NOEC (Anabaena flos-aquae (cyanobacterium)): 0,014 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201       |
| M-Factor (Acute aquatic toxicity)                   | : | 10  |
| M-Factor (Chronic aquatic toxicity)                 | : | 1   |
| Toxicity to microorganisms                          | : | EC50: > 1.000 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209        |
|   |   | NOEC: 295,3 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209          |

##### **Dihydroxyaluminium stearate:**

- |                               |   |   |
|-------------------------------|---|---|
| Toxicity to fish              | : | LL50 (Danio rerio (zebra fish)): > 100 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other | : | EL50 (Daphnia magna (Water flea)): > 100 mg/l   |

**Cefquinome (7.5%) LA Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

---

aquatic invertebrates                      Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

**Ecotoxicology Assessment**

Chronic aquatic toxicity                      : No toxicity at the limit of solubility.

**Persistence and degradability****Components:****Cefquinome:**

Biodegradability                                : Result: not rapidly degradable  
Biodegradation: 40 %  
Exposure time: 30 d  
Method: OECD Test Guideline 302B

Stability in water                              : Hydrolysis: > 90 %(5 d)  
Method: FDA 3.09

**Dihydroxyaluminium stearate:**

Biodegradability                                : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****Cefquinome:**

Partition coefficient: n-                        : log Pow: -2,01  
octanol/water

**Dihydroxyaluminium stearate:**

Partition coefficient: n-                        : log Pow: 7,48  
octanol/water                                    Remarks: Calculation

**Mobility in soil****Components:****Cefquinome:**

Distribution among environ-                    : log Koc: 2,76  
mental compartments

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues                            : Do not dispose of waste into sewer.

## Cefquinome (7.5%) LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

Contaminated packaging : Dispose of in accordance with local regulations.  
 : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cefquinome)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Cefquinome)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cefquinome)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Cefquinome (7.5%) LA Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023

Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

AR OEL / CMP : TLV (Threshold Limit Value)

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

## Cefquinome (7.5%) LA Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	27788-00023	Date of first issue: 04.11.2014

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8