according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Coccivac B, Coccivac D Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid

Colour: yellow, brownOdour: No data available

May be harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

repeated exposure

Category 2

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H303 May be harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs through prolonged or re-

peated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May be harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Eimeria Species (live)	Not Assigned	>= 0.1 -<= 10
potassium dichromate	7778-50-9	2.5

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Specific hazards during fire-

fighting

Hazardous combustion prod: :

ucts

Carbon oxides

Metal oxides

Chromium compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
potassium dichromate	7778-50-9	PC-TWA	0.05 mg/m3 (chromium)	CN OEL	
	Further information: G1 - Carcinogenic to humans, Sensitizing				
		TWA (Inhal-	0.0002 mg/m3	ACGIH	
		able particu-	(Cr(VI): Hexava-		
		late matter)	lent chromium)		
		STEL (Inhal-	0.0005 mg/m3	ACGIH	
		able particu-	(Cr(VI): Hexava-		
		late matter)	lent chromium)		

Engineering measures : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow, brown

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 2024/04/06 1481177-00017 4.5 Date of first issue: 2017/03/23

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

No data available Decomposition temperature

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

Can react with strong oxidizing agents.

Conditions to avoid None known.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

May be harmful if swallowed.

Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 3,620 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 3.76 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Eimeria Species (live):

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

potassium dichromate:

Acute oral toxicity : LD50 (Rat): 90.5 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.094 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Skin corrosion/irritation

Causes skin irritation.

Components:

Eimeria Species (live):

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Remarks : No data available

potassium dichromate:

Result : Corrosive after 3 minutes to 1 hour of exposure

Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Eimeria Species (live):

Remarks : No data available

potassium dichromate:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Eimeria Species (live):

Remarks : No data available

potassium dichromate:

Exposure routes : Skin contact Result : positive

Remarks : Based on national or regional regulation.

Assessment : Probability or evidence of skin sensitisation in humans

Remarks : Based on national or regional regulation.

Exposure routes : Inhalation Result : positive

Remarks : Based on national or regional regulation.

Assessment : Probability of respiratory sensitisation in humans based on

animal testing

Remarks : Based on national or regional regulation.

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Germ cell mutagenicity

May cause genetic defects.

Components:

potassium dichromate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo somatic cell mutagenicity tests in

mammals. Evidence that the substance has potential to cause

mutations to germ cells

Remarks: Based on national or regional regulation.

Carcinogenicity

May cause cancer.

Components:

potassium dichromate:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 18 month(s)
Result : positive

Remarks : Based on data from similar materials

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 18 month(s)
Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

Positive evidence from human epidemiological studies

Remarks: Based on national or regional regulation.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

potassium dichromate:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Mouse

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Application Route: Ingestion

Result: positive

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments. Remarks: Based on national or regional regulation.

STOT - single exposure

Not classified based on available information.

Components:

potassium dichromate:

Assessment : May cause respiratory irritation.

Remarks : Based on national or regional regulation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

potassium dichromate:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

potassium dichromate:

Inhalation : Target Organs: Bronchia

Symptoms: Asthma, Sensitisation, mutagenic effects

Skin contact : Target Organs: Skin

Symptoms: Sensitisation, Corrosion, Burn

Ingestion : Target Organs: Testis

Symptoms: toxic effects for reproduction

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Eimeria Species (live):

Toxicity to fish Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Toxicity to algae/aquatic

plants

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Toxicity to microorganisms Remarks: No data available

potassium dichromate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l

Remarks: No data available

Remarks: No data available

Remarks: No data available

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): > 0.01 - 0.1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 0.659 mg/l

Exposure time: 72 h

EC10 (Selenastrum capricornutum (green algae)): 0.028 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l

Exposure time: 60 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 0.084 mg/l

Exposure time: 7 d

1

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms EC50 (Photobacterium phosphoreum): 20 - 27 mg/l

Exposure time: 30 h

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Persistence and degradability

Components:

Eimeria Species (live):

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

Eimeria Species (live):

Bioaccumulation : Remarks: No data available

Mobility in soilNo data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(potassium dichromate)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(potassium dichromate)

Class : 9 Packing group : III

Labels : Miscellaneous

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(potassium dichromate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A

EmS Code : F-A, S-F Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(potassium dichromate)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/04/06

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

according to GB/T 16483 and GB/T 17519



Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.5 2024/04/06 1481177-00017 Date of first issue: 2017/03/23

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN