

## Multine B12 Selenised Formulation

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
Date of first issue: 19.09.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Multine B12 Selenised Formulation  
Other means of identification : Multine B12 Selenised (A011766)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Veterinary product  
Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa  
Telephone : +27119239300  
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3      H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.  
Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Multine B12 Selenised Formulation

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
 Date of first issue: 19.09.2023

## SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Antigen	Not Assigned		>= 20 - < 30
Sodium selenate	13410-01-0 236-501-8 034-002-00-8	Acute Tox. 2; H300 Acute Tox. 2; H330 Skin Irrit. 2; H315 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
Acetatocobalamin	22465-48-1 245-019-7	STOT RE 2; H373 (Kidney, Liver)	>= 0,1 - < 1
Thiomersal	54-64-8 200-210-4 080-004-00-7	Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 1; H310 Repr. 1B; H360 STOT RE 1; H372 (Central nervous system, Cardiovascular system, Gastrointestinal tract, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

**Multine B12 Selenised Formulation**

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
Date of first issue: 19.09.2023

---

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically and supportively.
- 

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Sulphur oxides

**Multine B12 Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

**5.3 Advice for firefighters**

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
- 

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**6.2 Environmental precautions**

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

- Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid inhalation of vapour or mist.
-

## Multine B12 Selenised Formulation

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
 Date of first issue: 19.09.2023

Do not swallow.  
 Avoid contact with eyes.  
 Avoid prolonged or repeated contact with skin.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sodium selenate	13410-01-0	OEL-RL	0,4 mg/m <sup>3</sup> (selenium)	ZA OEL
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Acetatocobalamin	22465-48-1	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Thiomersal	54-64-8	OEL-RL	0,02 mg/m <sup>3</sup> (Mercury)	ZA OEL
	Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B			
		OEL- RL STEL/C	0,06 mg/m <sup>3</sup> (Mercury)	ZA OEL
	Further information: danger of cutaneous absorption, Occupational Exposure			

## Multine B12 Selenised Formulation

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
 Date of first issue: 19.09.2023

Limits - Restricted Limits For Hazardous Chemical Agents, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
Aluminium potassium sulfate dodecahydrate	Workers	Inhalation	Long-term systemic effects	13,05 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	15,54 mg/kg bw/day
Sodium selenate	Workers	Inhalation	Long-term systemic effects	0,12 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	16,73 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,036 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	10,28 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,01028 mg/kg bw/day

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
Aluminium potassium sulfate dodecahydrate	Fresh water	0,112 mg/l
	Freshwater - intermittent	1,1 mg/l
	Marine water	0,011 mg/l
	Sewage treatment plant	63 mg/l
Sodium selenate	Fresh water	6,38 µg/l
	Freshwater - intermittent	6,38 µg/l
	Marine water	4,09 µg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	19,7 mg/kg dry weight (d.w.)
	Marine sediment	12,6 mg/kg dry weight (d.w.)
	Soil	0,47 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	2,39 mg/kg food

**8.2 Exposure controls****Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

**Personal protective equipment**

Eye/face protection : Wear safety glasses with side shields or goggles.

## Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type (P)

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	: Aqueous solution
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available

**Multine B12 Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

Solubility(ies)  
Water solubility : No data available  
Partition coefficient: n-octanol/water : Not applicable  
Auto-ignition temperature : No data available  
  
Decomposition temperature : No data available  
  
Viscosity  
Viscosity, kinematic : No data available  
  
Explosive properties : Not explosive  
  
Oxidizing properties : The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Flammability (liquids) : No data available  
  
Molecular weight : No data available  
  
Particle size : Not applicable

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Can react with strong oxidizing agents.

**10.4 Conditions to avoid**

Conditions to avoid : None known.

**10.5 Incompatible materials**

Materials to avoid : Oxidizing agents

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion



## Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0,052 - 0,51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Acetatocobalamin:**

Acute oral toxicity : LD50 Oral (Mouse): > 5.000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 2.000 mg/kg  
Application Route: Intravenous

LDLo (Mouse): 1,4 mg/kg  
Application Route: Intraperitoneal

LDLo (Mouse): 2,7 mg/kg  
Application Route: Intravenous

**Thiomersal:**

Acute oral toxicity : LD50 (Rat): 75 mg/kg  
  
Acute toxicity estimate: 10 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate: 0,1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 10 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

**Multine B12 Selenised Formulation**

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
Date of first issue: 19.09.2023

---

**II****Skin corrosion/irritation**

Not classified based on available information.

**Components:****Sodium selenate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Result : Skin irritation

**Acetatocobalamin:**

Remarks : No data available

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Sodium selenate:**

Species : Bovine cornea  
Method : OECD Test Guideline 437

Result : No eye irritation

**Acetatocobalamin:**

Remarks : No data available

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Acetatocobalamin:**

Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sodium selenate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471

## Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

Result: negative  
Remarks: Based on data from similar materials

### Acetatocobalamin:

Genotoxicity in vitro : Test Type: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative

Test Type: Ames test  
Test system: Salmonella typhimurium  
Result: negative

Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

### Thiomersal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Thiomersal:

Species : Rat  
Exposure time : 1 Years  
Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

## Multine B12 Selenised Formulation

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
 Date of first issue: 19.09.2023

Remarks: Based on data from similar materials

**Thiomersal:**

Effects on foetal development : Species: Rat  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Sodium selenate:**

Exposure routes : Ingestion  
 Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Acetatocobalamin:**

Target Organs : Kidney, Liver  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Thiomersal:**

Target Organs : Central nervous system, Cardio-vascular system, Gastrointestinal tract, Kidney  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Sodium selenate:**

Species : Rat  
 NOAEL : 0,4 mg/kg  
 Application Route : Ingestion  
 Exposure time : 13 Weeks

**Acetatocobalamin:**

Species : Dog  
 LOAEL : 300 mg/kg  
 Application Route : Oral  
 Number of exposures : 3 days  
 Target Organs : Kidney, Liver  
 Symptoms : kidney effects, liver function change

## Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

Remarks : May cause damage to organs.

Species : Dog  
 LOAEL : 75 mg/kg  
 Application Route : Intravenous  
 Number of exposures : 4 weeks  
 Target Organs : Kidney, Liver  
 Remarks : May cause damage to organs.

**Thiomersal:**

Species : Rat  
 LOAEL :  $\geq 0,5$  mg/kg  
 Application Route : Ingestion  
 Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Acetatocobalamin:**

General Information : Symptoms: asthenia, Dizziness, Headache, Nausea, sinusitis  
 Remarks: The most common side effects are:

**SECTION 12: Ecological information****12.1 Toxicity****Components:****Sodium selenate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):  $> 1 - 10$  mg/l  
 Exposure time: 96 h  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)):  $> 1 - 10$  mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): 245  $\mu$ g/l  
 Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197  $\mu$ g/l  
 Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

## Multine B12 Selenised Formulation

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
 Date of first issue: 19.09.2023

Toxicity to fish (Chronic toxicity) : NOEC: > 0,01 - 0,1 mg/l  
 Exposure time: 258 d  
 Species: Lepomis macrochirus (Bluegill sunfish)  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l  
 Exposure time: 28 d  
 Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

**Thiomersal:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 0,01 - 0,1 mg/l  
 Exposure time: 96 h  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,01 - 0,1 mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01 - 0,1 mg/l  
 Exposure time: 96 h  
 Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,001 - 0,01 mg/l  
 Exposure time: 21 d  
 Species: Daphnia sp. (water flea)  
 Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Multine B12 Selenised Formulation**

Version 2.0      Revision Date: 06.04.2024      SDS Number: 11270899-00003      Date of last issue: 04.12.2023  
Date of first issue: 19.09.2023

---

**12.6 Other adverse effects****Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14: Transport information****14.1 UN number**

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

**14.2 UN proper shipping name**

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

**14.3 Transport hazard class(es)**

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

**14.4 Packing group**

**Multine B12 Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

<b>ADN</b>	:	Not regulated as a dangerous good
<b>ADR</b>	:	Not regulated as a dangerous good
<b>RID</b>	:	Not regulated as a dangerous good
<b>IMDG</b>	:	Not regulated as a dangerous good
<b>IATA (Cargo)</b>	:	Not regulated as a dangerous good
<b>IATA (Passenger)</b>	:	Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks : Not applicable for product as supplied.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

---

**SECTION 16: Other information**

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of H-Statements**

H300	:	Fatal if swallowed.
H310	:	Fatal in contact with skin.
H315	:	Causes skin irritation.
H330	:	Fatal if inhaled.
H360	:	May damage fertility or the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.



## Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

**Full text of other abbreviations**

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
ZA OEL	:	South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
ZA OEL / OEL-RL	:	Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)
ZA OEL / OEL- RL STEL/C	:	Occupational Exposure Limit Restricted limit - Short term occupational exposure limits / ceiling limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
---	---	---

**Classification of the mixture:**

Aquatic Chronic 3	H412
-------------------	------

**Classification procedure:**

Calculation method
--------------------

## Multine B12 Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
2.0	06.04.2024	11270899-00003	Date of first issue: 19.09.2023

---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN