



Vers 1.0	sion	Revision Date: 29.02.2024		S Number: 59159-00001	Date of last issue: - Date of first issue: 29.02.2024		
SEC	SECTION 1: IDENTIFICATION Product name		:	Piliguard Pinkeye	e-1 Formulation		
	Other n	neans of identification	:	Piliguard® Pinke	ye-1 Trivalent (A008192)		
	Manufacturer or supplier's d Company Address		letai :	tails : Intervet Australia Pty Limited (trading as MSD Animal Health)			
			:	91-105 Harpin Street Bendigo 3550, Victoria Austrailia			
	Telepho	one	:	1 800 033 461			
	Emerge	ency telephone number	• :	Poisons Informat	ion Centre: Phone 13 11 26		
	E-mail	address	:	EHSDATASTEW	ARD@msd.com		
	Recom	mended use of the ch mended use tions on use		ical and restrictic Veterinary produc Not applicable			

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Aspiration hazard	:	Category 1
GHS label elements Hazard pictograms		
	•	
Signal word	:	Danger
Hazard statements	:	H304 May be fatal if swallowed and enters airways.
Precautionary statements	:	Response: P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting.
		Storage: P405 Store locked up.
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.02.2024	11359159-00001	Date of first issue: 29.02.2024

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oil	8012-95-1	>= 30 -< 60
Antigen	Not Assigned	>= 10 -< 30
Benzyl alcohol	100-51-6	< 10

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	May be fatal if swallowed and enters airways.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides



Version 1.0	Revision Date: 29.02.2024		0S Number: 359159-00001	Date of last issue: - Date of first issue: 29.02.2024
Spec	ific extinguishing meth-	:	Use extinguishi	ng measures that are appropriate to local cir-
ods		-	cumstances and Use water spray Remove undam so.	d the surrounding environment. / to cool unopened containers. aged containers from fire area if it is safe to do
	cial protective equipment refighters	:		ire, wear self-contained breathing apparatus. rotective equipment.
SECTION	I 6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	onal precautions, protec- equipment and emer- y procedures	:	Follow safe han	otective equipment. dling advice (see section 7) and personal pro- nt recommendations (see section 8).
Envii	ronmental precautions	:	Prevent further Prevent spreadi barriers). Retain and disp	o the environment. leakage or spillage if safe to do so. ng over a wide area (e.g. by containment or oil ose of contaminated wash water. s should be advised if significant spillages lined.
	ods and materials for ainment and cleaning up	:	For large spills, ment to keep m be pumped, sto Clean up remain bent. Local or nationa posal of this ma employed in the mine which regu Sections 13 and	ert absorbent material. provide dyking or other appropriate contain- aterial from spreading. If dyked material can re recovered material in appropriate container. hing materials from spill with suitable absor- al regulations may apply to releases and dis- terial, as well as those materials and items cleanup of releases. You will need to deter- ulations are applicable. I 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	OR	AGE	
	nical measures	:	CONTROLS/PE	g measures under EXPOSURE RSONAL PROTECTION section.
	I/Total ventilation ce on safe handling	:	Avoid inhalation Do not swallow. Avoid contact w Avoid prolonged Handle in accor	ith eyes. I or repeated contact with skin. dance with good industrial hygiene and safety on the results of the workplace exposure as-

Take care to prevent spills, waste and minimize release to the environment.



Version 1.0	Revision Date: 29.02.2024	SDS Number: 11359159-00001	Date of last issue: - Date of first issue: 29.02.2024
Hygi	ene measures	flushing system place. When using do Wash contamin The effective op engineering con appropriate deg	hemical is likely during typical use, provide eye s and safety showers close to the working not eat, drink or smoke. ated clothing before re-use. beration of a facility should include review of throls, proper personal protective equipment, owning and decontamination procedures, he monitoring, medical surveillance and the rative controls.
Conc	litions for safe storage	Store locked up Keep tightly close	sed.
Mate	rials to avoid		ance with the particular national regulations. h the following product types: I agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters						
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Paraffin oil	8012-95-1	TWA (Mist)	5 mg/m3	AU OEL		
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH		

Components with workplace control parameters

Engineering measures :		Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.		
Personal protective equipme	ent			
Respiratory protection :		If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Combined particulates and organic vapour type		
Hand protection				
Material	:	Chemical-resistant gloves		
Remarks	:	Consider double gloving.		



Version 1.0	Revision Date: 29.02.2024	SDS Number: 11359159-00001	Date of last issue: - Date of first issue: 29.02.2024			
Eye protection		 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 				
Skin and body protection		Additional body task being perfo posable suits) to Use appropriate	 Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. 			
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES						
Appea	arance	: suspension				
Colou	r	: No data availab	le			

Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		



Version 1.0	Revision Date: 29.02.2024		S Number: 359159-00001	Date of last issue: - Date of first issue: 29.02.2024
W	ater solubility	:	No data available	Ð
	ion coefficient: n- ol/water	:	Not applicable	
	ignition temperature	:	No data available	e
Deco	mposition temperature	:	No data available	e
Visco Vi	sity scosity, kinematic	:	No data available	e
Explo	sive properties	:	Not explosive	
Oxidiz	zing properties	:	The substance o	r mixture is not classified as oxidizing.
Moleo	cular weight	:	No data available	e
	ele characteristics ele size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products		None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	Inhalation Skin contact Ingestion Eye contact
Acute toxicity	
Not classified based on availab	e information.
Components:	
Paraffin oil:	
Acute oral toxicity	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity



Piliguard Pinkeye-1 Formulation

/ersion I.0	Revision Date: 29.02.2024	SDS Number: 11359159-000	Date of last issue: - Date of first issue: 29.02.2024
Benz	yl alcohol:		
Acute	oral toxicity	: LD50 (Rat	: 1,620 mg/kg
Acute	inhalation toxicity	Exposure Test atmos): > 4.178 mg/l ime: 4 h sphere: dust/mist ECD Test Guideline 403
-	corrosion/irritation lassified based on ava	ilable information	
Com	oonents:		
Paraf	fin oil:		
Speci Resul		: Rabbit : No skin irr	tation
Benz	yl alcohol:		
Speci		: Rabbit	
Metho Resu		: OECD Tes : No skin irr	t Guideline 404 tation
	us eye damage/eye		
	lassified based on ava	ilable information	
	oonents:		
	fin oil:	5.114	
Speci Resu		: Rabbit : No eye irri	ation
_			
Speci	yl alcohol:	: Rabbit	
Resu		: Irritation to	eyes, reversing within 21 days
Metho	bd		t Guideline 405
Resp	iratory or skin sensi	tisation	
	sensitisation		
	lassified based on ava	illable information	
-	iratory sensitisation assified based on ava	ilable information	
		mable information	
	<u>oonents:</u>		
	yl alcohol:		

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig



	Revision Date: 29.02.2024		S Number: 359159-00001	Date of last issue: - Date of first issue: 29.02.2024	
Metho Resu		:	OECD Test Guid negative	deline 406	
Chro	nic toxicity				
	cell mutagenicity lassified based on avai	lable	information.		
Com	oonents:				
	yl alcohol: toxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)	
Genotoxicity in vivo		:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative		
Not c	nogenicity lassified based on avai conents:	lable	information.		
Benz	yl alcohol:		Mouse		
	cation Route sure time od		Ingestion 103 weeks OECD Test Guid negative	deline 451	
Applio Expos Metho Resu	cation Route sure time od	lable	103 weeks OECD Test Guid negative	deline 451	
Applic Expos Metho Resu Repr o	cation Route sure time od It oductive toxicity	lable	103 weeks OECD Test Guid negative	deline 451	
Applia Expose Metho Resu Repro	cation Route sure time od It oductive toxicity lassified based on avai	lable	103 weeks OECD Test Guid negative	deline 451	
Applie Expose Methor Resu Repro Not c Comp Benz	cation Route sure time od It oductive toxicity lassified based on avai <u>conents:</u>		103 weeks OECD Test Guid negative information. Test Type: Fertil Species: Rat Application Rout Result: negative	ity/early embryonic development e: Ingestion	

STOT - single exposure

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.02.2024	11359159-00001	Date of first issue: 29.02.2024

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Paraffin oil:

:	Rat, female 161 mg/kg Ingestion 90 Days
	Rat
	:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Paraffin oil:

Toxicity to fish	:	LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials



rsion	Revision Date: 29.02.2024			Date of last issue: - Date of first issue: 29.02.2024
			Exposure time: 72 h Test substance: Wa	na costatum (marine diatom)): > 1 mg/ ter Accommodated Fraction data from similar materials
Benzy	/l alcohol:			
-	ty to fish	:	LC50 (Pimephales p Exposure time: 96 h	promelas (fathead minnow)): 460 mg/l
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia mag Exposure time: 48 h Method: OECD Test	
Toxicit plants	ty to algae/aquatic	:	EC50 (Pseudokirchr mg/l Exposure time: 72 h Method: OECD Test	
			NOEC (Pseudokirch mg/l Exposure time: 72 h Method: OECD Test	
	ty to daphnia and other c invertebrates (Chron- city)	:	NOEC (Daphnia ma Exposure time: 21 d Method: OECD Test	
Persis	stence and degradabili	ty		
<u>Comp</u>	onents:			
-	/l alcohol: gradability	:	Result: Readily biod Biodegradation: 92 Exposure time: 14 d	- 96 %
Bioac	cumulative potential			
<u>Comp</u>	onents:			
	f in oil: on coefficient: n- ol/water	:	log Pow: > 4 Remarks: Calculatio	n
Partitio	r l alcohol: on coefficient: n- ol/water	:	log Pow: 1.05	
	ity in soil ta available			



1.0 29.02.2024 11359159-00001 Date of first issue: 29.02.2024	Version 1.0	Revision Date: 29.02.2024	SDS Number: 11359159-00001	Date of last issue: - Date of first issue: 29.02.2024	
---	----------------	---------------------------	-------------------------------	--	--

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han-
		dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels Environmentally hazardous	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable no
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG



Version 1.0	Revision Date: 29.02.2024		S Number: 359159-00001		of last issue: - of first issue: 29.02.2024	
Prop Clas Subs Pack Labe	sidiary risk king group	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable			
-	ial precautions for use	er				
SECTION	15. REGULATORY INI	FOR	MATION			
	y, health and environr	nent	al regulations/leg	jislatio	on specific for the substance or mix-	
	apeutic Goods (Poisons Jard) Instrument	:		ecific co	the original publication to check for onditions or threshold limits that might	
Prohi	bition/Licensing Require	emen	ts	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.	
The c	components of this pro	oduc	t are reported in	the fol		
AICS		:	not determined			
DSL		:	not determined			
IECS	С	:	not determined			
SECTION	SECTION 16: ANY OTHER RELEVANT INFORMATION					
Revis Sourc	her information sion Date ces of key data used to ile the Safety Data t	:		arch re	data from raw material SDSs, OECD sults and European Chemicals Agen- u/	

Date format : dd.mm.yyyy

Full text of other abbreviation

ACGIH AU OEL	:	USA. ACGIH Threshold Limit Values (TLV) Australia. Workplace Exposure Standards for Airborne Con- taminants.
ACGIH / TWA AU OEL / TWA		8-hour, time-weighted average Exposure standard - time weighted average



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.02.2024	11359159-00001	Date of first issue: 29.02.2024

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN